EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(multi\$1dimensional or (multi adj dimensional) or bidimensional or bi\$1dimensional or two\$1dimensional or (two adj dimensional)) near2 (channel or rows or (bit adj position)) near9 (first adj2 (direction or vector)) near9 (second adj2 (direction or vector))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:29
L2	2057	(prevent\$3 or eliminat\$3 or reduc\$3) near5 ((worst or crosstalk or cross\$1talk or isi or inter\$1symbol or intersymbol or bad) near3 channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:27
L3	1930	(prevent\$3 or eliminat\$3 or reduc\$3) near5 ((worst or crosstalk or cross\$1talk or isi or inter\$1symbol or intersymbol or ((invalid or ineffective or bad or worst) near2 (string or stream or pattern))) near3 channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:34
L4	8	(multi\$1dimensional or (multi adj dimensional) or bidimensional or bi\$1dimensional or two\$1dimensional or (two adj dimensional)) near9 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:31
L5	9	(multi\$1dimensional or (multi adj dimensional) or bidimensional or bi\$1dimensional or two\$1dimensional or (two adj dimensional)) with 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/05/24 17:31
L6	24	(multi\$1dimensional or (multi adj dimensional) or bidimensional or bi\$1dimensional or two\$1dimensional or (two adj dimensional)) same 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:39

EAST Search History

			-	Γ		1 - 1
L7	15	6 not 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:32
L8	27	(prevent\$3 or eliminat\$3 or reduc\$3) near5 ((worst or ((invalid or ineffective or bad or worst) near2 (string or stream or pattern))) near3 channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2007/05/24 17:37
L9	2	(prevent\$3 or eliminat\$3 or reduc\$3) near5 ((((invalid or ineffective or bad or worst) near2 (string or stream or pattern))) near3 channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:37
L10	124	(prevent\$3 or eliminat\$3 or reduc\$3) near5 ((((invalid or ineffective or bad or worst) near2 (string or stream or pattern))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:10
L11	2	(multi\$1dimensional or (multi adj dimensional) or bidimensional or bi\$1dimensional or two\$1dimensional or (two adj dimensional)) same 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 19:08
L12	1	10 and "341"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:41
L13	143	(prevent\$3 or eliminat\$3 or reduc\$3 or stop\$4) near5 ((((invalid or ineffective or bad or worst) near2 (string or stream or pattern))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:26

EAST Search History

						•
L14	2	(prevent\$3 or eliminat\$3 or reduc\$3 or stop\$4) near5 ((((invalid or ineffective or bad or worst) near2 (string or stream or pattern))) near5 channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 19:07
L15	195	(prevent\$3 or eliminat\$3 or reduc\$3 or stop\$4) near5 (periodic adj2 pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 19:08
L16	225	(prevent\$3 or eliminat\$3 or reduc\$3 or stop\$4) near5 (periodic adj2 (sequence or pattern))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/24 19:21
L17	10	(multi\$1dimensional or (multi adj dimensional) or bidimensional or bi\$1dimensional or two\$1dimensional or (two adj dimensional)) same 16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 19:09
L18	2	16 and "341"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 19:22